



YDPU2.E360551 Tubing, Extruded Insulating - Component

[Page Bottom](#)

Tubing, Extruded Insulating - Component

[See General Information for Tubing, Extruded Insulating - Component](#)

DNT RETI STRUTTURATE S R L

E360551

2/B VIA MANTERO

22070 MONTANO LUCINO, CO ITALY

Cat. No.	Max V, rms	Max Oper Temp, °C	Col Recognized	Oil-resistance Class+	VW-1 Rated#
Flexible Heat Shrinkable Polyolefin tubing.					
DCS55	600	125	All except Clear	—	Yes
DCS100, DCSF300, DCSF400	600	125	All except Clear	—	Yes
DZH100	600	125	All except Clear	—	Yes
Heat Shrinkable Polyolefin tubing with adhesive liner.					
DW300@, DW400@	600	125	Black only	—	Yes

@ - With meltable liner.

+ Tubing is considered to comply with the optional Oil Resistance requirements only if authorized in the above table and marked "Oil Resistant" (or "Oil Res"), followed by the class (01, 02 or 03).

- Tubing is considered to comply with the optional VW-1 flammability requirements only if it is so marked.

Marking: Company name or trade name or trademark, catalog designation, inside diameter (before and after recovery for heat-shrinkable tubing), voltage rating, temperature rating in degrees Celsius, and date of manufacture (or traceable code) printed on tags attached to both ends of the tubing, or printed on the shipping spool label or smallest unit container in which the product is packaged.

[Last Updated](#) on 2013-02-22

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".